

TYPE:






PROJECT NAME:

ARCHETTO™

Shaped design Theo Sogni 2013/2014

Con Archetto Shaped il silicone 'luminoso' diventa protagonista di sculture leggere: poetici oggetti di luce per molteplici soluzioni da terra con base e a picchetto
Basi in cemento o pietra lavica.
Steli in alluminio anodizzato.
Alimentazione: 24v
Led bianco: 4000°k, 28w/mt, 240 led/mt, 1030Lm/mt RGB: 120 Led/mt, 20w/mt.
Sistemi di controllo: radio / infrarossi / DMX.
Driver remoto

Also by the outdoor version, the thin line of light develops through proposal represented by classical geometric shapes, icons that emphasize cleaning and lightness of the lighting design.
The silicone "bright" protagonist of light sculptures, which are enriched by the metal, stone or cement, involved with cleaning and formal rigor to generate poetic objects of light – for multiple floor solutions with base and with the picket
Concrete or lava stone bases.
Chrome anodized aluminium rods. Power: 24v.
White led: 4000°k, 28w/mt, 240 led/mt, 1030Lm/mt. RGB: 120 Led/mt 20w/mt..
Control's systems: radio / infrared / DMX.
Remote driver
A meter is 39,37"



F7 **F15**

Tutti i modelli sono forniti senza alimentatori, i quali possono essere forniti su richiesta/
All the models are furnished without driver. They can be furnished at request.

F7 white	70W	2470Lm	F7 RGB	48W	
F9 white	50W	1800Lm	F9 RGB	35W	
F10 white	50W	1800Lm	F10 RGB	35W	
F11 white	34W	1185Lm	F11 RGB	23W	
F12 white	34W	1185Lm	F12 RGB	23W	
F13 white	50W	1800Lm	F13 RGB	35W	
F14 white	50W	1800Lm	F14 RGB	35W	
F15 white	50W	1800Lm	F15 RGB	35W	

F15
Materiale per la base/
Base's material



Lava

Installation Note: All LED Drivers require remote installation for the archetto exterior collection



*Picchetto asportabile / Picket removable from the plate



