








ALULED
SYSTEM

TYPE:
PROJECT NAME:









SPECIFICATION SHEET


ALULED™ bar collection




ALULED™ disc collection




ALULED™ square collection




AP 1L




AP 2L



PL 10 1L




PL 30 1L




PL 70 1L




PL 10 2L



PL 30 2L



PL 70 2L



ALULED

SYSTEM

TYPE:

PROJECT NAME:



[En] → Lighting fixture in carved solid aluminium, powder-coated available in 4 colors and concrete finish. White PMMA diffuser. LED 220-240V. 359° adjustable version as ceiling lamp. Frame in powder-coated aluminium, available in 4 colors. Chromed metal joint.

[It] → Corpo illuminante in alluminio ricavato dal pieno verniciato a polveri nei 4 colori disponibili e finitura cemento. Diffusore in PMMA bianco. Sorgente LED 220-240V. Versione orientabile 359° plafoniera. Montatura in alluminio verniciato a polveri nei 4 colori disponibili. Snodo metallo cromato.

material

aluminium
alluminio

light source

LED 220-240V

120V for
NORTH AMERICA

Dimmer not included
Dimmer non incluso

equipment

PL 10 - 30 - 70 1L

19W LED 3000°K lm1500

PL 10 - 30 - 70 2L


38W LED 3000°K lm3000

symbols



dimensions


PL 30 1L



PL 70 1L



PL 30 2L



PL 70 2L

