

ICEGLOBE MICRO

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

**LIGHT
BOXXE**

WWW.LIGHTBOXXE.COM

ICEGLOBE MICRO

SUSPENSION

TYPE:

PROJECT NAME:

Range of wall/ceiling and suspension lamps supplied with a ceiling rose or a built-in kit with diffusers made of self-extinguishing micropunched polycarbonate. Spheres with a diameter of 12 cm. Metal details in matt white finish. Also available in the "bubble" version from 4 to 16 elements.

PROJECT:

TYPE:

MODEL #

FINISH/COLOUR


WATTAGE

LIGHT SOURCE

VOLTAGE




IG MICRO 21




Adjustable with a 30° angle


IG MICRO 21-I




IG MICRO BUBBLE 4




IG MICRO BUBBLE 8




IG MICRO BUBBLE 12




IG MICRO S



IG MICRO S-I



IG MICRO BUBBLE 16



Units: cm



Finishes

○ 106 Matt white

Diffuser

PC Polycarbonate

Cable

White

Light source

G9 Halogen ECO 230V 2700K

IG MICRO 21/21-I/S/S-I

max 1x33W 460lm

IG MICRO BUBBLE 4 max 4x33W 1840lm

IG MICRO BUBBLE 8 max 8x33W 3680lm

IG MICRO BUBBLE 12 max 12x33W 5520lm

IG MICRO BUBBLE 16 max 16x33W 7360lm



Certification

SPECIFICATION SHEET



LIGHT
BOXXE

WWW.LIGHTBOXXE.COM

ICEGLOBE MICRO

SUSPENSION

TYPE:

PROJECT NAME:

Ceiling and suspension version respectively with 12 and 16 lights. Metal structure lacquered in matt white. Sphere diffusers with a diameter of 12 cm made of self-extinguishing micropunched polycarbonate.

PROJECT: _____ TYPE: _____

MODEL # _____ FINISH/COLOUR _____ WATTAGE _____ LIGHT SOURCE _____ VOLTAGE _____



Finishes

○ 106 Matt white

Diffuser

PC Polycarbonate

Light source



G9 Halogen ECO 230V

MICRO P max 12x20W

2820lm 2700K

MICRO I6L max 16x20W

3760lm 2700K




Certification



Classe I IP20

IG MICRO I6L



SPECIFICATION SHEET

LIGHT
BOXXE

WWW.SCANGIFT.COM

WWW.LIGHTBOXXE.COM