

ITASHADES

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET


ITASHADES

SUSPENSION


TYPE:

PROJECT NAME:


IS CY SO 50




IS CY SO 70




IS CY SO 100



IS RE SO 120



IS RE SO 150



SPECIFICATION SHEET

ITASHADES

SUSPENSION

TYPE:

PROJECT NAME:



[En] → Unit composed by: outside shade in opaque PVC completed with cotton fabric available in 4 colors. Inside shade in transparent PVC completed with white cotton fabric. Prismatic PMMA cover. Strip LED 20W/m 24V.

[It] → Oggetto composto da: paralume esterno in PVC coprente accoppiato con tessuto cotone nei 4 colori disponibili e paralume interno in PVC traslucido accoppiato con tessuto cotone bianco. Copertura in PMMA prismatico. Sorgente LED Strip 20W/m 24V.

material

fabric + PVC
tessuto + PVC

light source

LED 220-240V
120V for
NORTH AMERICA

equipment

IS CY SO 50
19W LED 3000°K 2500 lm

IS CY SO 70
26W LED 3000°K 3570 lm

IS CY SO 100
38W LED 3000°K 5100 lm


IS RE SO 120
38W LED 3000°K 5100 lm

IS RE SO 150
45W LED 3000°K 6120 lm

Available 4000°K / Disponibile 4000°K

Dimmerable LED driver
available / Disponibile LED
driver dimmerabile

photometric test IS CY SO 50



colors



white / bianco
66.8003.11



dove / tortora
66.8003.82



brown / marrone
66.8003.52



bordeaux
66.8003.09

ORDERING INFO

Model (Order Code)

- ☐ SO50 ☐ SO150
☐ SO70
☐ SO100
☐ SO120

Finish

- ☐ White
☐ Brown
☐ Dove
☐ Bordeaux

LED

- ☐ 3000K
☐ 4000K

Power Options

- ☐ 120V Phase Dimming
☐ 120V 0-10V Dimming
☐ 277V 0-10V Dimming

